


Tennis Court Fence Standard Plans



* For Edge Beam, Slab, and Select Fill details, see plans.

ELEVATION

DESCRIPTION	MIN. SIZE IN INCHES	MIN. WEIGHT PER LIN FT IN LBS.
Line Post	2.375 O.D.	3.65
Terminal Post	2.875 O.D.	5.79
Top Rail	1.660 O.D.	2.27
Bracing	1.660 O.D.	2.27
Gate Frame	1.660 O.D.	2.27

NOTE:

Chain link fabric shall be erected on the interior side of the courts.

CAUTION:

This Standard Drawing is not to be used if any wind screen is to be applied to the fence.

Revision	By	Approved	Date	SAN DIEGO REGIONAL STANDARD DRAWING	RECOMMENDED BY THE SAN DIEGO REGIONAL STANDARDS COMMITTEE <i>T. Stanton</i> 7/26/2012 Chairperson R.C.E. 19246 Date
ORIGINAL		Solomon	7/79		
Add Metric		T. Stanton	03/03		
Reviewed		T. Stanton	04/06		
Delete Metric		D. Gerschlager	05/12		
TENNIS COURT FENCE CHAIN LINK				DRAWING NUMBER	M-17

Building Division Counter is open between the hours of 7:30 a.m. and 5:30 p.m. (closed for lunch 11:30 a.m. - 12:30 p.m.) Monday through Thursday. City Hall and the Building Division counter are closed on alternating Fridays ([see calendar](#)). Our Friday hours are 8:00 a.m. – 5:00 p.m. (closed for lunch 11:30 a.m. - 12:30 p.m.).

*****Please contact the Poway Building Division if you have any questions or concerns at (858) 668-4645 or building@poway.org*****